L	Hits	Search Text	DB	Time stamp
Number 1	12	gif89a and address\$3	USPAT;	2003/06/23
+		3-2 3-1	US-PGPUB;	22:16
			EPO; JPO;	
			DERWENT;	
2	12	gif89a and address\$3 and network\$3	IBM_TDB USPAT;	2003/06/23
-	12	girosu una dadropopo dina neenerape	US-PGPUB;	22:17
			EPO; JPO;	
			DERWENT;	
3	8	gif89a and address\$3 and network\$3 and	IBM_TDB USPAT;	2003/06/23
'	•	remote	US-PGPUB;	22:17
			EPO; JPO;	
			DERWENT;	
4	8	gif89a and address\$3 and network\$3 and	IBM_TDB USPAT;	2003/06/23
4	°	remote and display\$3	US-PGPUB;	2003/06/23
		remote and arsprayes	EPO; JPO;	22.17
			DERWENT;	
	0707	<u></u>	IBM_TDB	0000/05/05
-	870784	minolta or canon or fujitsu or samsung	USPAT; US-PGPUB;	2003/06/22 22:04
			EPO; JPO;	22.03
			DERWENT;	
1			IBM_TDB	
-	82	(minolta or canon or fujitsu or samsung) and (states same (power and ready and	USPAT; US-PGPUB;	2003/06/22 22:05
		and (states same (power and ready and save and initial\$8))	EPO; JPO;	22:05
		Save and Interaction,	DERWENT;	
			IBM_TDB	
-	0	(minolta or canon or fujitsu or samsung)	USPAT;	2003/06/22
		and (states same (power and ready and save and initial\$8))and memory same	US-PGPUB; EPO; JPO;	22:07
		graphic\$4 near5 input	DERWENT;	
			IBM_TDB	
_	6	(minolta or canon or fujitsu or samsung)	USPAT;	2003/06/22
		and (states same (power and ready and save and initial\$8))and memory same	US-PGPUB; EPO; JPO;	22:08
		graphic\$4	DERWENT;	
			IBM_TDB	
-	35239	713/\$.ccls. or 716/\$.ccls. or 710/\$.ccls.	USPAT;	2003/06/23
			US-PGPUB; EPO; JPO;	16:11
			DERWENT;	
			IBM_TDB	
-	58533	345/\$.ccls.	USPAT;	2003/06/23 16:12
	•		US-PGPUB; EPO; JPO;	10:12
			DERWENT;	
			IBM_TDB	
-	93079	(713/\$.ccls. or 716/\$.ccls. or 710/\$.ccls.) or 345/\$.ccls.	USPAT;	2003/06/23
		/10/9.CCIS.) OF 345/9.CCIS.	US-PGPUB; EPO; JPO;	16:12
]			DERWENT;	
			IBM_TDB	
-	47206	((713/\$.ccls. or 716/\$.ccls. or 710/\$.ccls.) and (states)	USPAT; US-PGPUB;	2003/06/23 16:13
		/10/9.ccis., or 343/9.ccis.) and (states)	EPO; JPO;	10.13
			DERWENT;	
[0010-	7.772.4	IBM_TDB	
-	20191	((713/\$.ccls. or 716/\$.ccls. or 710/\$.ccls.) and	USPAT; US-PGPUB;	2003/06/23 16:14
		(states) near15 (ready or initial\$8 or	EPO; JPO;	10.14
		operat\$3 or power or power near4 (on or	DERWENT;	
		off) or sav\$3)	IBM_TDB	0000/05/55
-	19105	((713/\$.ccls. or 716/\$.ccls. or 710/\$.ccls.) and	USPAT; US-PGPUB;	2003/06/23 16:15
		(states) near10 (ready or initial\$8 or	EPO; JPO;	10.13
		operat\$3 or power or power near4 (on or	DERWENT;	
		off) or sav\$3)	IBM TDB	<u> </u>

Search History 6/23/03 10:20:26 PM Page 1

_	5749	((713/\$.ccls. or 716/\$.ccls. or 710/\$.ccls.) or 345/\$.ccls.) and	USPAT; US-PGPUB;	2003/06/23 16:16
		((states)near10 (ready or initial\$8 or	EPO; JPO;	13.13
		operat\$3 or power or power near4 (on or	DERWENT;	
		off) or sav\$3)) same (instruct\$4 or	IBM TDB	
		step\$1)		
_	114	((713/\$.ccls. or 716/\$.ccls. or	USPAT;	2003/06/23
		710/\$.ccls.) or 345/\$.ccls.) and	US-PGPUB;	16:17
		((states)near10 (ready or initial\$8 or	EPO; JPO;	
:		operat\$3 or power or power near4 (on or	DERWENT;	
		off) or sav\$3)) same (instruct\$4 or	IBM_TDB	
		step\$1)near10 graphic\$4		
-	0	((713/\$.ccls. or 716/\$.ccls. or	USPAT;	2003/06/23
		710/\$.ccls.) or 345/\$.ccls.) and	US-PGPUB;	16:23
		((states)near10 (ready or initial\$8 or	EPO; JPO;	
-		operat\$3 or power or power near4 (on or	DERWENT;	
		off) or sav\$3)) same (instruct\$4 or	IBM_TDB	
		step\$1)near10 (graphic\$4 near10		
		display\$3) same (network\$1 and remote)	HCDATE.	2003/06/22
-	0	((713/\$.ccls. or 716/\$.ccls. or 710/\$.ccls.) or 345/\$.ccls.) and	USPAT; US-PGPUB;	2003/06/23 16:28
1		((states)near10 (ready or initial\$8 or	EPO; JPO;	10.20
	1	operat\$3 or power or power near4 (on or	DERWENT;	
		off) or sav\$3)) same (instruct\$4 or	IBM TDB	
		step\$1)near20 (graphic\$4 near10		
		display\$3) same (network\$1 and remote)		
_	1	((713/\$.ccls. or 716/\$.ccls. or	USPAT;	2003/06/23
	_	710/\$.ccls.) or 345/\$.ccls.) and	US-PGPUB;	16:35
		((states)near10 (ready or initial\$8 or	EPO; JPO;	
1		operat\$3 or power or power near4 (on or	DERWENT;	
		off) or sav\$3)) same (instruct\$4 or	IBM TDB	
		step\$1)near20 (graphic\$4 near20		
		display\$3 and (animat\$5 or gif or		
		gif89a)) and (network\$1 and remote)and		
		(animat\$5 or gif or gif89a)		
_	13		USPAT;	2003/06/23
		710/\$.ccls.) or 345/\$.ccls.) and	US-PGPUB;	16:41
		((states)near10 (ready or initial\$8 or	EPO; JPO;	1
		operat\$3 or power or power near4 (on or	DERWENT;	
		off) or sav\$3)) same (instruct\$4 or	IBM_TDB	
		step\$1)near10 graphic\$4 near10 display\$3 and (animat\$5 or gif or gif89a)		
_	25		USPAT;	2003/06/23
	23	710/\$.ccls.) or 345/\$.ccls.) and	US-PGPUB;	16:44
		((states)near10 (ready or initial\$8 or	EPO; JPO;	- 3
		operat\$3 or power or power near4 (on or	DERWENT;	
1		off) or sav\$3)) same (instruct\$4 or	IBM_TDB	
		step\$1)near10 graphic\$4 near10 display\$3	-	
-	0	(((713/\$.ccls. or 716/\$.ccls. or	USPAT;	2003/06/23
		710/\$.ccls.) or 345/\$.ccls.) and	US-PGPUB;	16:44
		((states)near10 (ready or initial\$8 or	EPO; JPO;	
		operat\$3 or power or power near4 (on or	DERWENT;	
		off) or sav\$3)) same (instruct\$4 or	IBM_TDB	
		step\$1)near20 (graphic\$4 near20		
		display\$3 and (animat\$5 or gif or		
		gif89a)) and (network\$1 and remote) and		
		(animat\$5 or gif or gif89a)) and		
		(((713/\$.ccls. or 716/\$.ccls. or 710/\$.ccls.) and		
1		710/\$.ccls.) or 345/\$.ccls.) and ((states)near10 (ready or initial\$8 or		
		operat\$3 or power or power near4 (on or		
1		off) or sav\$3)) same (instruct\$4 or		
		step\$1)near10 graphic\$4 near10 display\$3		
		and (animat\$5 or gif or gif89a))		1
L		1 3 3 3 3		<u> </u>

-	26	(((713/\$.ccls. or 716/\$.ccls. or 710/\$.ccls.) or 345/\$.ccls.) and	USPAT; US-PGPUB;	2003/06/23 16:45
	İ	((states)near10 (ready or initial\$8 or	EPO; JPO;	
		operat\$3 or power or power near4 (on or	DERWENT;	
		off) or sav\$3)) same (instruct\$4 or	IBM_TDB	
		step\$1)near10 graphic\$4 near10	_	
		display\$3) or (((713/\$.ccls. or		
		716/\$.ccls. or 710/\$.ccls.) or		
		345/\$.ccls.) and ((states)near10 (ready		
		or initial\$8 or operat\$3 or power or		
		power near4 (on or off) or sav\$3)) same		
		(instruct\$4 or step\$1)near20 (graphic\$4		
		near20 display\$3 and (animat\$5 or gif or gif89a)) and (network\$1 and remote)and		
		(animat\$5 or gif or gif89a)) or		
		(((713/\$.ccls. or 716/\$.ccls. or		
		710/\$.ccls.) or 345/\$.ccls.) and		
		((states)near10 (ready or initial\$8 or		
		operat\$3 or power or power near4 (on or		
		off) or sav\$3)) same (instruct\$4 or	:	
		step\$1)near10 graphic\$4 near10 display\$3		
		and (animat\$5 or gif or gif89a))		
-	0	((((713/\$.ccls. or 716/\$.ccls. or	USPAT;	2003/06/23
		710/\$.ccls.) or 345/\$.ccls.) and	US-PGPUB;	16:45
		((states)near10 (ready or initial\$8 or	EPO; JPO;	
		operat\$3 or power or power near4 (on or off) or sav\$3)) same (instruct\$4 or	DERWENT; IBM TDB	
		step\$1)near10 graphic\$4 near10	IDM_IDD	
		display\$3) or (((713/\$.ccls. or		
		716/\$.ccls. or 710/\$.ccls.) or		
		345/\$.ccls.) and ((states)near10 (ready		
		or initial\$8 or operat\$3 or power or		
		power near4 (on or off) or sav\$3)) same		;
		(instruct\$4 or step\$1)near20 (graphic\$4		
		near20 display\$3 and (animat\$5 or gif or		
		gif89a)) and (network\$1 and remote)and		
1		(animat\$5 or gif or gif89a)) or		
		(((713/\$.ccls. or 716/\$.ccls. or		
		710/\$.ccls.) or 345/\$.ccls.) and		
		((states)near10 (ready or initial\$8 or operat\$3 or power or power near4 (on or		
		off) or sav\$3)) same (instruct\$4 or		
1		step\$1)near10 graphic\$4 near10 display\$3		
		and (animat\$5 or gif or gif89a)))and		
		stae\$1		
-	26		USPAT;	2003/06/23
		710/\$.ccls.) or 345/\$.ccls.) and	US-PGPUB;	16:56
		((states)near10 (ready or initial\$8 or	EPO; JPO;	
		operat\$3 or power or power near4 (on or	DERWENT;	
		off) or sav\$3)) same (instruct\$4 or	IBM_TDB	
		step\$1)near10 graphic\$4 near10		
		display\$3) or (((713/\$.ccls. or 716/\$.ccls. or 710/\$.ccls.) or		
		345/\$.ccls.) and ((states)near10 (ready		
		or initial\$8 or operat\$3 or power or		
		power near4 (on or off) or sav\$3)) same		
		(instruct\$4 or step\$1)near20 (graphic\$4		
		near20 display\$3 and (animat\$5 or gif or		
		gif89a)) and (network\$1 and remote) and		
		(animat\$5 or gif or gif89a)) or		
		(((713/\$.ccls. or 716/\$.ccls. or		
		710/\$.ccls.) or 345/\$.ccls.) and		
		((states)near10 (ready or initial\$8 or		
		operat\$3 or power or power near4 (on or off) or sav\$3)) same (instruct\$4 or		
		step\$1)near10 graphic\$4 near10 display\$3	1	
		and (animat\$5 or gif or gif89a))) and		
		state\$1		
—		· · · · · · · · · · · · · · · · · · ·		

		20070		10000 100 100
-	14	((((713/\$.ccls. or 716/\$.ccls. or	USPAT;	2003/06/23
		710/\$.ccls.) or 345/\$.ccls.) and	US-PGPUB;	17:02
		((states)near10 (ready or initial\$8 or	EPO; JPO;	
		operat\$3 or power or power near4 (on or	DERWENT;	
1		off) or sav\$3)) same (instruct\$4 or	IBM_TDB	
		step\$1)near10 graphic\$4 near10 display\$3) or (((713/\$.ccls. or		
		716/\$.ccls. or 710/\$.ccls.) or		
		345/\$.ccls.) and ((states)near10 (ready		
		or initial\$8 or operat\$3 or power or		
		power near4 (on or off) or sav\$3)) same		
		(instruct\$4 or step\$1)near20 (graphic\$4		
		near20 display\$3 and (animat\$5 or gif or		
		gif89a)) and (network\$1 and remote)and		•
		(animat\$5 or gif or gif89a)) or		
		(((713/\$.ccls. or 716/\$.ccls. or		
		710/\$.ccls.) or 345/\$.ccls.) and		
		((states)near10 (ready or initial\$8 or		
		operat\$3 or power or power near4 (on or		
		off) or sav\$3)) same (instruct\$4 or		
		step\$1)near10 graphic\$4 near10 display\$3		
	ŀ	and (animat\$5 or gif or gif89a)))and		
		state\$1 and network\$1 and (address\$3 or		
		identif\$9)		•
-	10	((((713/\$.ccls. or 716/\$.ccls. or	USPAT;	2003/06/23
		710/\$.ccls.) or 345/\$.ccls.) and	US-PGPUB;	16:59
		((states)near10 (ready or initial\$8 or	EPO; JPO;	
	ĺ	operat\$3 or power or power near4 (on or	DERWENT;	
		off) or sav\$3)) same (instruct\$4 or	IBM TDB	
		step\$1)near10 graphic\$4 near10	_	
		display\$3) or (((713/\$.ccls. or		
		716/\$.ccls. or 710/\$.ccls.) or		
		345/\$.ccls.) and ((states)near10 (ready		
		or initial\$8 or operat\$3 or power or		
		power near4 (on or off) or sav\$3)) same		
		(instruct\$4 or step\$1)near20 (graphic\$4		
		near20 display\$3 and (animat\$5 or gif or		
		gif89a)) and (network\$1 and remote)and		
		(animat\$5 or gif or gif89a)) or	·	
		(((713/\$.ccls. or 716/\$.ccls. or		
		710/\$.ccls.) or 345/\$.ccls.) and		
	ļ	((states)near10 (ready or initial\$8 or		
		operat\$3 or power or power near4 (on or		
		off) or sav\$3)) same (instruct\$4 or step\$1)near10 graphic\$4 near10 display\$3		
		and (animat\$5 or gif or gif89a)))and		
		state\$1 and network\$1 and (address\$3 or		
		identif\$9)and remote\$4		
-	587	345/1.1 or 345/2.1 or 345/3.1	USPAT;	2003/06/23
	""		US-PGPUB;	18:52
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	385	(345/1.1 or 345/2.1 or 345/3.1) and	USPAT;	2003/06/23
		(address\$3 or identif\$9)	US-PGPUB;	17:00
			EPO; JPO;	
			DERWENT;	
	:		IBM_TDB	
-	53	(345/1.1 or 345/2.1 or 345/3.1) and	USPAT;	2003/06/23
		(address\$3 or identif\$9)same network\$1	US-PGPUB;	17:00
1			EPO; JPO;	٥.
1			DERWENT;	
1	3.0	/245/1 1 am 245/2 1 245/2 1	IBM_TDB	2002/06/22
-	39	(345/1.1 or 345/2.1 or 345/3.1) and	USPAT;	2003/06/23
1	_	<pre>(address\$3 or identif\$9)same network\$1 and remote\$4</pre>	US-PGPUB;	17:00
1	[and remoteda	EPO; JPO; DERWENT;	
1				
	<u> </u>		IBM_TDB	L

			r	
-	21	(345/1.1 or 345/2.1 or 345/3.1) and (address\$3 or identif\$9)same network\$1 and remote\$4 and state\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 17:00
_	19	(345/1.1 or 345/2.1 or 345/3.1) and (address\$3 or identif\$9)same network\$1 and remote\$4 and state\$1 same (initial\$9 or power or (power near5 (on or off)) or sav\$3 or display\$3 or ready)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23
	33		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 17:04
-	51	345/3.3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 17:04
-	18	345/3.3 and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 17:04
_	14	345/3.3 and network and (address\$3 or identif\$9)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 17:05
_	14	345/3.3 and network and (address\$3 or identif\$9)and (graphic\$4 or gif or animat\$4 or gif89a)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 17:05
_	17	gif89a and network\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 17:05
-	14	gif89a and network\$3 and state\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 17:06

-	0	gif89a and network\$3 and state\$1 same (activat\$5 or ready or start\$3 or stop\$4 or end\$4 or initial\$9 or operat\$5)and	USPAT; US-PGPUB; EPO; JPO;	2003/06/23 22:19
		display\$3 same ("how to")	DERWENT; IBM_TDB	
-	7	gif89a and network\$3 and state\$1 same (activat\$5 or ready or start\$3 or stop\$4 or end\$4 or initial\$9 or operat\$5) and display\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 17:09
_	44	345/3.4	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/06/23 17:10
-	12	345/3.4 and network\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/06/23 17:10
-	0	345/3.4 and network\$1 and graphoc\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/06/23 17:10
_	8	345/3.4 and network\$1 and graphic\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 17:10
_	o	345/3.4 and network\$1 and graphic\$4 and (gif or gif89a or animat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23
_	82	345/1.1 and network\$1 and (graphic\$4 or gif or gif89a or animat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 17:11
_	51	345/2.1 and network\$1 and (graphic\$4 or gif or gif89a or animat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 17:12
_	33	345/2.1 and network\$1 and (graphic\$4 or gif or gif89a or animat\$5)and state\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 17:12
-	616	345/1.1 or 345/2.1 or 345/3.1 or 345/3.4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 17:14
-	385	(345/1.1 or 345/2.1 or 345/3.1 or 345/3.4) and ((345/1.1 or 345/2.1 or 345/3.1) and (address\$3 or identif\$9))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 17:14
_	176	(345/2.1 and network\$1 and (graphic\$4 or gif or gif89a or animat\$5)and state\$1) or (345/2.1 and network\$1 and (graphic\$4 or gif or gif89a or animat\$5)) or (345/1.1 and network\$1 and (graphic\$4 or gif or gif89a or animat\$5)) or (345/3.4 and network\$1 and (graphic\$4 or gif or gif89a or animat\$5)) or 345/3.4 or gif89a	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 17:15

-	0	gif89a and (345/1.1 or 345/2.1 or 345/3.1 or 345/3.4)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/06/23 17:15
-	0	(gif89a and network\$3) and (345/1.1 or 345/2.1 or 345/3.1 or 345/3.4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/06/23 17:15
_	7	gif89a and network\$3 and state\$1 same (activat\$5 or ready or start\$3 or stop\$4 or end\$4 or initial\$9 or operat\$5)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/06/23 17:18
-	584	(graphic\$4 or gif89a) same network\$3 same state\$1 same (activat\$5 or ready or start\$3 or stop\$4 or end\$4 or initial\$9 or operat\$5)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 17:36
_	176	display\$4 near10 (graphic\$4 or gif89a) same network\$3 same (stage\$1 or state\$1) same (activat\$5 or ready or start\$3 or stop\$4 or end\$4 or initial\$9 or operat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23
-	871537	canon or fujitsu or samsung or minolta	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 17:35
-	8	(canon or fujitsu or samsung or minolta) and (display\$4 near10 (graphic\$4 or gif89a) same network\$3 same (stage\$1 or state\$1) same (activat\$5 or ready or start\$3 or stop\$4 or end\$4 or initial\$9 or operat\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 17:36
-	0		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 17:40
-	4	(graphic\$4 or gif89a) same network\$3 same state\$1 same (activat\$5 or ready or start\$3 or stop\$4 or end\$4 or initial\$9 or operat\$5)and owen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 17:46
-	10	345/3.4 and network\$1 and (graphic\$4 or gif or gif89a or animat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 18:31
-	8	345/3.4 and network\$1 and (graphic\$4 or gif or gif89a or animat\$5)and (address\$3 or identif\$9 or notif\$9)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23
-	8	345/3.4 and network\$1 and (graphic\$4 or gif or gif89a or animat\$5)and (address\$3 or identif\$9 or notif\$9) and display\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 18:34
-	7	345/3.4 and network\$1 and (graphic\$4 or gif or gif89a or animat\$5)and (address\$3 or identif\$9 or notif\$9) same display\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 18:34
_	4	345/3.4 and network\$1 and (graphic\$4 or gif or gif89a or animat\$5)and (address\$3 or identif\$9 or notif\$9) near15 display\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/23 18:34

_	4	345/3.4 and network\$1 and (graphic\$4 or	USPAT;	2003/06/23
		gif or gif89a or animat\$5) and (address\$3	US-PGPUB;	18:34
		or identif\$9 or notif\$9) near10 display\$3	EPO; JPO;	
		, , , , , , , , , , , , , , , , , , , ,	DERWENT;	
			IBM TDB	
_	17	gif89a and format\$4	USPAT;	2003/06/23
			US-PGPUB;	18:45
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	16	gif89a and format\$4 and (identif\$9 or	USPAT;	2003/06/23
		notif\$9 or address\$3)	US-PGPUB;	18:46
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	14	gif89a and format\$4 and (identif\$9 or	USPAT;	2003/06/23
		notif\$9 or address\$3) and network and	US-PGPUB;	18:46
		display\$3	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	3	gif89a and format\$4 same display\$3 same	USPĀT;	2003/06/23
		(identif\$9 or notif\$9 or address\$3) and	US-PGPUB;	18:46
j		network and display\$3	EPO; JPO;	
		·	DERWENT;	1
			IBM TDB	
-	0	gif89a and (345/1.1 or 345/2.1 or 345/3.1	USPAT;	2003/06/23
		or 345/3.4)	US-PGPUB;	18:53
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	19	gif89a	USPĀT;	2003/06/23
			US-PGPUB;	22:16
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	